



9.0 "x11.843 " inch



In our laminate collection, every detail is intentional, every texture purposeful.





REFLECT YOUR
PERSONALITY

ABOUT US

Our liners are the silent
strength behind every
lasting design.


We grow and we stay committed to our people for the quality they expect from us. the technology and the products that have made our brand the preferred brand over others, we are constant on delivering the same and even better. we are a one source enterprise for manufacturing, distributing and delivering laminates.

STONE




**“DESIGN THAT
SPEAKS YOU”**

Providing support, protection, and
perfection from the inside out.



401 - SF | SAND STONE LIGHT



402 - SF | SAND STONE GREY



**“DESIGN THAT
SPEAKS YOU”**

Providing support,
protection, and
perfection from the inside
out.



FABRIC SERIES




221 - SF | CAMBRIC LIGHT GREY



237 - SF | CAMBRIC YELLOW GREY NEW




203 - SF | CAMBRIC GREY



205 - SF | CAMBRIC MILK FABRIC



FABRIC SERIES



201 - SF | ROMAN FABRIC IVORY




241 - SF | DARK CAMBRIC NEW



242 - SF | GREY CAMBRIC NEW



FABRIC SERIES



206 - SF | COTTON FABRIC GREY




207 - SF | COTTON FABRIC BEIGE



“SURFACES THAT
EXPRESS, NOT
IMPRESS”


Liners crafted
to ensure
durability
beneath every
surface.




243 - SF | FAB FABRIC NEW




FABRIC SERIES



218 - SF | CLASSIC FABRIC GREY




209 - SF | NORMAL LINEN




“CRAFTED TO
REFLECT WHO
YOU ARE”

Strong, stable, and
engineered to last.

FABRIC SERIES



211 - SF | SYCAMORE FABRIC



212 - SF | PERSIAN FABRIC



213 - SF | GREY CHECKERED





FABRIC SERIES



217 - SF | LINEN BEIGE



219 - SF | CLASSIC FABRIC GREY



220 - SF | LINEN GREY



FABRIC SERIES



231 - SF | TWIST FAB GREY



232 - SF | TWIST FAB DARK




252 - SF | CASINO FABRIC GREY **NEW**




239 - SF | CASINO FABRIC BROWN **NEW**



FABRIC SERIES




234 - SF | CASINO FABRIC GREY



250 - SF | CASINO FABRIC BROWN




254 - SF | VISCOSE FABRIC DARK NEW




255 - SF | VISCOSE FABRIC BROWN NEW



FABRIC SERIES



222 - SF | BLENDED FAB GREY NEW



223 - SF | BLENDED FAB BROWN NEW



“Your Identity,
In Every Inch”

Choose liners
that deliver
unmatched
performance.




215 - SF | SPARKLE FABRIC IVORY




SOLID HIGH GLOSS


SOLID SUEDE FINISH



101 - HG | WHITE NEW



102 - HG | OFF WHITE NEW




103 - SF | LIGHT GREY



104 - SF | GOTHIC GREY




101 - SF | WHITE NEW



102 - SF | OFF WHITE NEW



105 - SF | DARK GREY



106 - SF | BLACK




107 - SF | IVORY



302 - SF | VIROLA WOOD TEAK



Our liners provide the structure
your designs rely on.



WOOD GRAIN



“LET YOUR
SURFACES
SPEAK FOR
YOU”



303 - SF | VIROLA WOOD BROWN






WOOD GRAIN



307 - SF | JAVA CYPRESS TEAK



308 - SF | JAVA CYPRESS COFFEE



WOOD GRAIN

These liners quietly hold everything together.



309 - SF | ANTIQUE WOOD



310 - SF | MAGNUM TEAK



“CRAFTED TO
REFLECT WHO
YOU ARE”

Strong, stable, and
engineered to last.

WOOD GRAIN



323 - SF | FINE OAK YELLOW NEW



317 - SF | FINE OAK GREY NEW



“Your Identity,
In Every Inch”

Choose liners
that deliver
unmatched
performance.



316 - SF | FINE OAK BROWN NEW



WOOD GRAIN



336 - SF | HONEY BROWN OAK NEW



326 - SF | BRAZILIAN WALNUT NEW



330 - SF | MIGHTY WOOD CREAM NEW



328 - SF | MIGHTY WOOD YELLOW NEW



WOOD GRAIN



318 - SF | NAINA TEAK BROWN NEW



337 - SF | SAPELLE NEW



314 - SF | PRECIOUS BEECH NEW





TECHNICAL SPECIFICATION

Size: 1220mm x 2440mm

Back Side Finish: Uniform Sanding gives guarantee for easy pasting.

Durability: The best technology provides high durability to our Laminates. Our Laminates are mended for life time.

Flexibility: A Specialty formulated phenol formaldehyde and melamine for formaldehyde resins with a special kind of plasticizer is used for better flexibility.

Note: Sample pasted here in represent only colour and finish, may not actual thickness. Please keep laminates away from direct sunlight.

Bonding of Laminate under high humidity, plywood with high moisture content, ply with uneven surface, inferior quality adhesive and insufficient pressure may lead to delamination / air bubbles in between ply and laminates.

The product must be inspected prior to installation and our liability will be limited to the extent of the cost of the product only.

Care & Maintenance: Wipe clean with ordinary soap or household liquid detergent. For stubborn stains, use diluted organic solvent or stain remover. Abrasive cleaners and wire brushes are not recommended.

Properties	Specified Values as per IS: 2046-1993 type S, VGS	Confirms
Resistance to surface wear	350 (Revolution)	>350 (Revolution)
Resistance to immersion in boiling water	10.0% (maximum)	5.0% Max.
- Mass increase (%)	11.8% (Maximum)	6.5% Max.
- Thickness increase (%)	Not worse than 4	
- Appearance		
Resistance to dry heat 180° C	Not worse than 4	
Dimensional Stability at deviated temperature	0.55% (Maximum)	0.5% Max.
- Longitudinal (%)	1.025% (Maximum)	0.87% Max.
- Transverse (%)		
Dimensional Stability at 20° C	0.375% (Maximum)	0.295% Max.
- Longitudinal (%)	0.60% (Maximum)	0.45% Max.
- Transverse (%)		
Resistance to impact by small diameter ball	20 N (Minimum)	25 N (Minimum)
Resistance to cracking	Not worse than 4	
Resistance to scratching	2.0 N (Minimum)	2.75 N (Minimum)
Resistance to staining	Not worse than 5	
Resistance to color change (Wool Standard)	Not worse than 5	
- In xenon arc light	Not worse than 5	
- In enclosed carbon arc light		
Resistance to cigarette burns	Not worse than 3	